

CHAPTER 28-02.1-08 CERTIFICATES AND SEALS

Section	
28-02.1-08-01	Certificates
28-02.1-08-02	Seals
28-02.1-08-03	Use of Seals

28-02.1-08-01. Certificates.

1. Certificates of registration issued by the board should be displayed by the registrant in a prominent place in the registrant's office or principal place of business.
2. In case a certificate is lost or destroyed, a duplicate certificate will be issued upon request. The charge for a duplicate certificate shall be as determined by the board.
3. Certificates of authorization are signed by the chairman and secretary and are issued on an annual basis.

History: Effective January 1, 1988; amended effective April 1, 1999.

General Authority: NDCC 43-19.1-08

Law Implemented: NDCC 43-19.1-20, 43-19.1-27

28-02.1-08-02. Seals.


1. The board has adopted standard seals or stamps similar to those illustrated in this section for use by registered professional engineers and land surveyors as prescribed by law. The seal authorized by the state board of registration for professional engineers and land surveyors for registrants is of the crimp type or rubber stamp, or electronic. Seals prepared after July 1, 2005, shall be of a design so the seal consists of two concentric circles with the diameter of the outer circle being one and three-fourth inches [44.45 millimeters] and the diameter of the inner circle being one and one-fourth inches [31.75 millimeters]. The upper portion between the two circles shall bear whichever of the following phrases is applicable to the registrant: "Registered Professional Engineer", "Registered Land Surveyor", or "Registered Professional Engineer & Registered Land Surveyor". At the bottom of the annular space between the two circles shall appear the inscription "North Dakota"; the inner circle shall contain the name of the registrant, registration number, and the word "Date". The registration number assigned should be centered in the inner area of the seal in the space occupied by the word "NUMBER" and the size of the numbers should not be larger than the word "NAME". The words and parentheses "(NUMBER)" and "(NAME)" should not appear on the seal.

2. Seals may be of rubber stamp, metal impression type, or electronic. Electronic seals may be used but an electronic seal may not be used in any document that is being transmitted in an editable digital format.
3. A registrant shall superimpose the registrant's personal original signature (not a rubber signature stamp or facsimile signature) and date of signature across the face and beyond the circumference of the seal. No further certification need accompany the seal and signature.

History: Effective January 1, 1988; amended effective August 1, 1994; April 1, 1999; October 1, 2004.

General Authority: NDCC 43-19.1-08

Law Implemented: NDCC 43-19.1-21



28-02.1-08-03. Use of seals.

1. The original copies of all drawings, plan sheets, specifications, studies, reports, plats, maps, and other engineering and surveying work product other than earthwork cross sections must receive a seal and original signature.
 - a. Studies, reports, and project specifications need the seal and original signature only on a single introductory sheet.
 - b. Every sheet or drawing in an original set of engineering plans must receive a seal and original signature.
2. Registrants may accept assignments and assume responsibility for coordination of an entire project and sign and seal the engineering and

land surveying documents for the entire project, provided that each technical segment is signed and sealed only by the qualified engineers or land surveyors who prepared the segment.

3. Registrants shall not affix their signatures or seals to any engineering or land surveying plan or document dealing with subject matter for which the registrant lacks competence by virtue of education or experience, nor to any such plan or document not prepared under the registrant's direct supervisory control.
4. A registrant shall not contract with a nonlicensed individual to provide these professional services.
5. A registrant may affix the seal and signature to drawings and documents depicting the work of two or more professionals, either from the same or different disciplines, provided it is designated by a note under the seal the specific subject matter for which each is responsible.
6. Any changes made to the final plans, specifications, drawings, reports, or other documents after final revision and sealing by the registrant are prohibited by any person other than the registrant. In the event the original registrant is not able to authorize any changes, the registrant's employer may authorize another duly registered individual to make changes to final sealed documents.
 - a. Such changes to final sealed documents may be made only by a duly registered individual.
 - b. A duly registered individual making changes to final sealed documents must assume responsible charge and reseal the directly related final documents.
 - c. If construction phase revisions are made to the plans, they must be made by a duly registered individual, providing the change does not affect functional design requirements.
7. Mere review of work prepared by another person, even if that person is the registrant's employee, does not constitute responsible charge.
8. A registrant may not affix the registrant's seal or signature to documents having titles or identities excluding the registrant's name unless:
 - a. Such documents were developed by the registrant or under the registrant's responsible charge and the registrant has exercised full authority to determine their development.
 - b. A registrant who is required to use the standard drawings of a sponsoring agency need not affix the registrant's seal and signature to said standard drawings.

- c. The registrant is providing the registrant's opinion as to the compliance of the document with specific identified rules or statutes and it is clearly identified that the registrant only reviewed the document and had no technical control over the contents of the document.
- 9. Electronic reproductions of drawings, plan sheets, specifications, studies, reports, plats, maps, and other engineering and surveying work product that are distributed to reviewing agencies, owners, clients, contractors, suppliers, and others shall be accompanied by the following statement: "This document(s) was originally issued and sealed by (name), Registration Number (number) on (date) and the original documents are stored at (location)". Sets of plans or drawings must have this statement attached to every sheet of the set. For specifications, reports, and studies, only the cover or introductory sheet need include this statement.
- 10. Paper or hard copy reproductions of drawings, plan sheets, specifications, studies, reports, plats, maps, and other engineering and surveying work product that are distributed to reviewing agencies, owners, clients, contractors, suppliers, and others shall contain a reproduction of the seal and signature. A new seal and original signature will not be required with such paper distribution.

History: Effective October 1, 2004.

General Authority: NDCC 43-19.1-08

Law Implemented: NDCC 43-19.1-21